



Unit 803, 8/F, Vanta Industrial Centre,
21-33 Tai Lin Pai Road,
Kwai Chung, New Territories, Hong Kong
Tel: +852 3524 1677
Fax: +852 3542 5325
email: info@manda-hk.com/ info@fomex.com.hk



Manda International (HK) Limited
Photo & Video Equipment & Accessories

Summer 2021

Contents

Page 3	LED Portable Light – HL Series
Page 4	LED Portable Light – Vpad / Rpad / SL series
Page 5	LED Portable Light – MV-50Kit / Strip Light
Page 6	LED Flexible Light – HB48/HB100
Page 7	LED Panel Light
Page 8	LED High Power Light – EL / ML series
Page 9	LED Ring – KR12 / KR18
Page 10	Foldable Beauty Dish / Foldable 16-ribs Para Softbox
Page 11	Umbrellas / Parabolic Umbrellas / Brolly
Page 12	Reflector Boards/Arc Reflector
Page 13	Diffuser Panels – Sunshade Panels
Page 14	Beauty Dish / Light Tents
Page 15	Spot Light Attachments
Page 16	Background System
Page 17	Light Stand / Boom Stand
Page 18	Camera / Speedlite Accessories
Page 19	Photo Bags
Page 20	Ballheads
Page 21	Tripods



LED Portable Light HL-series




Fresnel Lens



AC/DC

Model	HL-300C	HL-400C	HL-600C	HL-800C	HL-RGB180BW
Color temperature	5600K	5600K	5600K	5600K	3200-5600 bicolor + RGB
CRI	≥95	≥95	≥96	≥96	≥93
TLCI	≥96	≥96	≥97	≥97	≥97
Illuminance	2790 Lux/1m 9940 Lux/0.5m	4300 Lux/1m 15300 Lux/0.5m	6410 Lux/1m 24300 Lux/0.5m	8150 Lux/1m 32096 Lux/0.5m	859 Lux/1m 3410 Lux/0.5m
Adjustable beam angle	15-40°	15-40°	15-40°	15-40°	15-40°
Noiseless cooling fan	No	Yes	Yes	Yes	Yes
Dimmable	Yes	Yes	Yes	Yes	Yes
Beam angle	≥120°	≥120°	≥120°	≥120°	≥120°
Average lifetime	50,000 hours	50,000 hours	50,000 hours	50,000 hours	50,000 hours
AC/DV	Yes	Yes	Yes	Yes	Yes
Measurements (mm)	110x110x130	110x110x130	125x125x146	125x125x146	125x125x146
Weight	460g	460g	580g	580g	460g



Accessories (sold separately)



Softbox



Diffuser



Reflector



Ball Head



Battery NP-F770/750 Series & Charger
(for 30W, 40W & RGB Lights)

Customised Battery 14.8V & Smart Charger
(for 60W & 80W Lights)



Handle



Tilting Adapter

LED Portable Light

V-pad

R-pad

SL



Vpad-112

Power: 12W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: 175x167x25 mm
Weight: 250g
Power source: NP-F




Vpad-150

Power: 15W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: 288x148x18 mm
Weight: 360g
Power source: NP-F



Rpad-112

Power: 12W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: ø160x28 mm
Weight: 270g
Power source: NP-F



SL-100

Power: 16W
Color temp.: 5600K
CRI: 95%
Size: 180x170x28 mm
Weight: 250g
Power source: NP-F

SL-100D

Power: 16W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: 180x170x28 mm
Weight: 250g
Power source: NP-F



Vpad-350

Power: 35W
Color temp.: 5600K
CRI: 95%
Size: 250x440x42 mm
Weight: 1,100g
Power source: NP-F/AC

Vpad-350D

Power: 35W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: 250x440x42 mm
Weight: 1,100g
Power source: NP-F/AC/V-lock



SL-400

Power: 45W
Color temp.: 5600K
CRI: 95%
Size: 250x440x42 mm
Weight: 800g
Power source: NP-F/AC

SL-400D

Power: 45W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: 250x440x42 mm
Weight: 800g
Power source: NP-F/AC

Rpad-450

Power: 75W
Color temp.: 5600K
CRI: 95%
Size: ø450x28 mm
Weight: 2,000g
Power source: NP-F/AC

Rpad-450D

Power: 75W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: ø450x28 mm
Weight: 2,000g
Power source: NP-F/AC

Rpad-450V

Power: 75W
Color temp.: 5600K
CRI: 95%
Size: ø450x28 mm
Weight: 2,000g
Power source: NP-F/AC/V-lock

Rpad-450DV

Power: 75W
Color temp.: 3200-5600K bicolor
CRI: 95%
Size: ø450x28 mm
Weight: 2,000g
Power source: NP-F/AC/V-lock

LED Portable Light MV-50 Kit

Power: 50W
Color temp.: 5500K
CRI: 95%
Lux@1m: 1100Lux
Size: ø95x120 mm
Weight: 500g
Power source: NP-F, AC



MV-50 Light Head only
MV-50 KIT with Fresnel, Light Stand
and Carrying Case



Light Stand
Folded length: 490mm
Full length: 1,700mm
Weight: 1,100 g



Fresnel Lens
Size: ø95x55mm
Weight: 100 g



Barn door
Size: ø95mm
Weight: 100g



Ball head
Size: 30x100mm
Weight: 200 g



Bag
Size: 540x260x120mm
Weight (full package): 3.4kg

LED Strip Light Strip Light Kits



Model	ST-800	ST-800C RGB	ST-1200	ST-1200C RGB
Max output	55W	40W	70W	55W
Power adapter	15V/4A	15V/3A	15V/5A	15V/4A
CRI	≥95	≥95	≥95	≥95
Illumination@1m	1110 Lux	520 Lux	1300 Lux	1040 Lux
Beam angle	90°	90°	90°	90°
Color temperature	5500K	5600K	5500K	5600K
Dimension (mm)	75x46x855	75x46x855	75x46x1245	75x46x1245
Weight (kg)	1.7	2.3	1.7	2.3

Also available kits with barn doors:
ST-800B KIT / ST-800CB RGB KIT
ST-1200B KIT / ST-1200CB RGB KIT



LED Flex Light HB-48/HB-100

Flexible, bendable, portable
Constant power for both warm & cool
Lightweight & small in size
Waterproof

HB-48

Power: 45W
Color temp.: 3200-5600K bicolor
CRI: 97%
Illumination: 1800 lux/1m
Size: 340x340x2 mm
Weight: 270g

HB-100

Power: 100W
Color temp.: 3200-5600K bicolor
CRI: 97%
Illumination: 3200 lux/1m
Size: 320x530x2 mm
Weight: 340g



X-bracket mount



Softbox for HB-48

Softbox for HB-100



2mm thin



Remote control

LED Panel Light Panel Light



60W



90W



120W



150W

Power	60W	90W	120W	150W
Color temperature	Bi-Color 2800-6500K			
CRI	96+			
Illuminance (Lux/m)	8580	9978	11200	11910
Stepless Dimming	Yes, 0-100%			
Control	Smartphone APP + DMX			
AC/DC	Yes (Power adapter + Sony V-mount Battery)			

LED High Power Light

EL-series



Model	EL-600	EL-600L	EL-1000	EL-1000N	EL-1000L
Power	60W		100W		
Color temp.	5500K	3200K	5500K	5500K	3200K
Illuminance (Lux/m)	6,000lux	5,000Lux	10,000Lux	10,000Lux	8,000Lux
Size (mm)	136x127x100		350x140x200	260x127x100	350x140x200
Weight	1.5kg		2.2kg	2.1kg	2.2kg
Remote	No	No	Yes	Yes	Yes



ML-series



Model	ML-600	ML-1000	ML-1000D	ML-2000	ML-2000D
Power	60W	100W		200W	
Color temp.	5600K	5600K	3200K - 5600K bi-color	5600K	3200K - 5600K bi-color
Illuminance (Lux/m)	7,000lux	11,000Lux	10,000Lux	17,000Lux	16,000Lux
Weight	2.4kg	2.5kg	2.6kg	3.5kg	3.6kg

LED Ring Light

KR-12 / KR-18



Model	KR-12	KR-18
Power	24W	48W
No. of Beads	224 pcs	448 pcs
Illumination	2640 lm	5280 lm
Brightness	up to 550 Lux/1m	up to 900 Lux/1m
Color temperature	3200-5600K bi-color	
CRI	RA96	
Beam angle	about 120°	
LED lifespan	50,000 hours	
Battery	Sony NP-F series lithium battery	
Power adapter	DC8-12V, AC100-240V	DC14.4-18V, AC100-240V
Dimension	Outer ring: ø305mm Inner ring: ø215mm	Outer ring: ø458mm Inner ring: ø368mm
Weight	0.5kg	0.76kg

Parabolic Softbox / Foldable Beauty Dish / Speedrings



Foldable Beauty Dish

60cm, White | 60cm, Silver
80cm, White | 80cm, Silver
100cm, White | 100cm, Silver
120cm, White | 120cm, Silver




16-ribs Foldable Para Softbox

60cm | 80cm | 100cm | 120cm | 140cm

Softbox Speedrings



Broncolor



Bowens



Balcar



Comet



Elinchrom



Hensel



Multiblitz P/V



Photogenic



Speedotron

Also available speedrings for: Visatec / Sunstar / Outer Speedring only

Single Layer Umbrellas



Single-Layer Translucent
82cm | 90cm | 102cm | 110cm | 145cm



Black & Silver
82cm | 90cm | 102cm | 110cm



Gold & Silver
82cm | 90cm | 102cm | 110cm | 145cm



White & Silver
82cm | 90cm | 102cm | 110cm



Black & White
82cm | 90cm | 102cm | 110cm



Gold & Silver Alternating
82cm | 90cm | 102cm | 110cm


Double Layer Umbrellas



Translucent with Removable Cover
82cm | 90cm | 102cm | 110cm | 145cm



Silver with Black Cover
82cm | 90cm | 102cm | 110cm



Gold with Black Cover
82cm | 90cm | 102cm | 110cm



Translucent
100cm | 150cm | 190cm



2-in-1 White with Removable Black Cover
150cm | 190cm



Reflective Diffusion Brolly
150cm | 190cm



Silver
100cm | 150cm | 190cm



Directive Brolly
82cm | 102cm




Reflective Brolly
82cm | 102cm

Reflectors



5-in-1 Reflector (Gold / Mild Gold / White / Silver / Translucent)

Ø56cm | Ø80cm | Ø110cm
71X112cm | 90X120cm | 102X153cm | 110X168cm




5-in-1 Reflector (Gold / Black / White / Silver / Translucent)

Ø56cm | Ø80cm | Ø110cm
71X112cm | 90X120cm | 102X153cm | 110X168cm



Reflector - Silver / White

Ø56cm | Ø80cm | Ø110cm
71X112cm | 90X120cm | 102X153cm | 110X168cm




Reflector - Silver / Gold

Ø56cm | Ø80cm | Ø110cm
71X112cm | 90X120cm | 102X153cm | 110X168cm



Reflector - Translucent

Ø56cm | Ø80cm | Ø110cm
71X112cm | 90X120cm | 102X153cm | 110X168cm



Reflector - Waves / White

Ø56cm | Ø80cm | Ø110cm

Arc Reflector AR60180

*Light stand not included



Diffuser Panels




Sunshade Panel SP19M

60x60cm | 75x75cm | 90x90cm | 110x110cm | 145x145cm
Each set comes with a diffuser and silver fabric

Sunshade Panel SPCE

100x150cm | 140x200cm
Each set comes with a diffuser fabric



Beauty Dish



Beauty Dish (Bowens-mount)

40cm, White | 40cm Silver
55cm, White | 55cm Silver
70cm, White | 55cm Silver
40cm Honeycomb Grid
55cm Honeycomb Grid
70cm Honeycomb Grid

Light Tents



HS-60S LED Light Tent


Power: 60W
Voltage: 12V 5A, 110-220V
Color temperature: 5,500K
CRI: >90
Size: 60 x 60 cm
Weight: 2.2kg

Package contents:

Light tent 60x60m - 1 pc / LED Strip Light - 2 pcs
Power adapter - 1 pc / Dimmer - 1 pc / Diffuser - 1 pc
PVC Background - 1 pc Black & 1 pc White

Wave-shape beauty dish (interchangable mount)

40cm | 55cm | 70cm



Beauty dish (interchangable mount)

40cm | 55cm |70cm



Diffusion Box / Studio Tent

90X90cm | 120X120cm | 150X150cm

Spot Attachment



Fresnel spot (ø24cm)



Optical snoot (focusable)



Optical snoot (Canon lens mount)



Optical snoot (focusable)



Large snoot (Bowens mount)




Large snoot (interchangeable mount)



Small snoot (Bowens mount)

Background System



Foldable Background Boards - Green/Blue

102x153cm | 150x200cm | 200x230cm



Background Support

BL-2000A – Flat Leg Stand with Background Holder
 LBS-22L – Flat Leg Background Stand with Cross Bar
 A2803 – LP2800 Light Stand + Cross Bar, 2.8m(h) x 3m(w)
 A2803-BAR – Cross Bar only for A2803 3m



Classic Background Paper

Graduated Background Paper (Black/Grey/Pink/Brown/Blue/Orange/Green) 80x110 cm
 #601/12 – Super White, 3m x 11m
 #602-680/12 – Various Colors, 107" x 12yd
 #601-680/53 – Various Colors, 53" x 12yd




Muslin

Size: 3x6m
 Colors: Black/White/Grey/Blue/Red/Yellow/Green



Light Stand



LSB-1720 Multi-function
Boom/Light Stand

Model	LP2600	LP2800	LP3000	LP3200	LP3900	L-3004A
Sections	3	4	3	3	4	4
Min to Max Height	1.03 - 2.45m	0.93 - 2.77m	1.20 - 2.80m	1.04 - 3.20m	1.13 - 4.03m	1.08 - 3.00m
Weight	1.85kg	1.70kg	2.30kg	2.70kg	2.30kg	2.0kg
Max Load	4.0kg	4.0kg	5.0kg	5.0kg	4.0kg	4.0kg

Model	L-240	L-300	L-2000A	LEX-2200A
Sections	4	4	5	4
Min to Max Height	0.69 - 2.4m	0.83 - 3.00m	0.48 - 1.80m	0.62 - 2.22m
Weight	0.90kg	1.10kg	1.00kg	1.50kg
Max Load	4.0kg	4.0KG	3.0KG	2.5KG

Speedlite Accessories

Mini-Softbox, Snoot & Reflector for Speedlite



MF-69 60x90mm



MF-99 90x90mm



MF-158 15x17mm
MF-230 20x30mm

Speedlite Bouncer



MF-1323 13x23cm



MF-2413 24x13cm



MF-2428 24x28cm



Flexibouncer
Speedlite Diffuser Ø350mm

Speedlite And Hotshoe Adapter



BK-11 3-Speedlite Holder



FLH-8 3-Hot Shoe Adapter



S-CN Hot Shoe Adapter for Sony



FLH-10 Hot Shoe



FLH-11 3-Speedlite Holder



BKM-6830 Tilting Adapter



Speedlite/Umbrella Holder BL-DIIM / BL-D



Speedlite Accessory Kit HBBW



Barn door



Holding Bracket



Spherical Diffuser Ø15cm



Standard Reflector
Translucent Umbrella, 82cm



Conical Snoot



Extension Rod, 36-57cm



Foldable Softbox, 40x40cm



Carrying Case

Photo Bag



47x34x17cm



29.5x20x14.5cm



28x13x18cm



21x13x20cm



25x13x20cm



100x20x20cm | 120x20x20cm



65x20x20cm



104x19x15cm



120x18x18cm



105x36x31cm



72x24x24cm



58x48x34cm



48x34x35cm



78x24x24cm



94x34x25cm

Ball Heads



B-Series, 3-Adjustment Locking

B-2T | B-3T | B-4T

Model	B-2T	B-3T	B-4T
Base	Ø55mm	Ø65mm	Ø72mm
Length	100mm	110mm	120mm
Max Load	8kg	12kg	16kg
Weight	0.45kg	0.63kg	0.85kg




NB-S Series, Pull-Out Security Lock

NB-100S | NB-200S

Model	NB-100S	NB-200S
Base	Ø48mm	Ø56mm
Length	95mm	100mm
Max Load	6kg	10kg
Weight	0.32kg	0.5kg

SH360 Smartphone Holder

- Smartphone slot expandable from 5.5 to 8.0 cm
- 360° rotation for portrait and landscape orientation



NB-OS Series

NB-0S | NB-1S | NB-2S | NB-3S

Model	NB-0S	NB-1S	NB-2S	NB-3S
Base	Ø45mm	Ø50mm	Ø55mm	Ø65mm
Length	85mm	90mm	105mm	110mm
Max Load	4kg	6kg	8kg	12kg
Weight	0.22kg	0.33kg	0.44kg	0.57kg



SN-1 Ball Head

Base: Ø28mm
Length: 95mm,
Max Load: 8kg
Weight: 0.30kg



S-1

Height: 28 mm
Base diameter: 17 mm
Loaded weight: 3kg
Weight: 23g



E1-X

Height: 66 mm
Base diameter: 38 mm
Loaded weight: 6kg
Weight: 190g



E2-X

Height: 77 mm
Base diameter: 46 mm
Loaded weight: 10kg
Weight: 249g

E2-X+H2



E3-X

Height: 84 mm
Base diameter: 55 mm
Loaded weight: 20kg
Weight: 330g



H2

Panorama Clamp
Dual panorama upgrade for E-X series.

TH-2IN1 Smartphone & Tablet Holder

- 2-side clip (small one for smartphone & large one for tablet)
- Clips can be attached to tripods or selfie sticks, connection thread size: 1/4"
- size: 63 x 40 x 125mm



extendable
length:
60-85mm

extendable
length:
110-170mm

Tripods



Aluminium Tripods

Model	TR652AN	TR662AN	TR672AN	TR682AN
Material	Aluminium	Aluminium	Aluminium	Aluminium
Section	3	3	3	3
Max Height	1.45m	1.57m	1.70m	1.80m
Max Load	2.0kg	2.3-5.0kg	2.7-5.0kg	2.7-5.0kg
Weight	0.98kg	1.15kg	1.35kg	1.66kg



Traveller Tripods

Model	TG-254C	TG-284C	TG-285C
Material	Carbon Fibre	Carbon Fibre	Carbon Fibre
Section	4	4	5
Max Height	1.60m	1.80m	1.80m
Max Load	8.0kg	14.0kg	14.0kg
Weight	1.0kg	1.3kg	1.35kg



Mini Tripod And Monopods

ZM-300 – Mini Tripod

T28043+ZM300 – Aluminium Monopod with ZM-300 Mini Tripod

G28043 + ZM300 – Carbon Fiber Monopod with ZM-300 Mini Tripod (50x120mm Plate)



GL-60 Monopod

Material: Carbon Fibre
Section: 5
Max. Height: 1.60m
Max. Load: 14.0kg
Weight: 0.52kg

ML-60 Monopod

Material: Magnesium Alloy
Section: 5
Max. Height: 1.45m
Max. Load: 14.0kg
Weight: 0.60kg



TT4 2-in-1 Table Tripod

Detachable ball head
Height adjustable feet (3 levels)
Load weight: 1.0kg
Weight: 143g
4 colors - red, blue, orange, black

TT4-RED
TT4-BLUE
TT4-BLACK
TT4-ORANGE



FT4 2-in-1 Flexible Tripod

Detachable ball head
Flexible adjustable legs
Load weight: 1.2kg
Weight: 320g
5 colors - red, blue, orange, black, pink

FT4 - RED
FT4 - BLUE
FT4 - BLACK
FT4 - ORANGE
FT4 - PINK

